




dishwashers

D Range | pass through



D2021
(shown with tabling,
sink and pre-wash
spray arm – not included)

- n ■ 2 year warranty
- n ■ Type AA breaktank
- n ■ Accurate detergent and rinse aid peristaltic dosing as standard
- n ■ Drain pump fitted as standard
- n ■ Moulded wash tank designed for easy cleaning and reduced water usage
- n ■ Low running costs due to improved rinse efficiency
- n ■ Surface scrap trays as standard
- n ■ Soft touch controls with bright LED display
- n ■ Twin traffic light display indicates machine status
- n ■ Three selectable cycle options plus special application cycles options
- n ■ Selectable GLASS cycle for glass washing
- n ■ Selectable GREEN cycle for minimum energy usage
- n ■ Automatic self-cleaning cycle
- n ■ One open/cup, one pegged rack and cutlery insert as standard



Technical

- n ■ Standard voltage 240V – single phase
- n ■ D2021 can be supplied for 3 phase
- n ■ Suitable for hot (max 50°C) or cold* water supply at 2 to 4 bar dynamic supply pressure
- n ■ Wash temperature 60°C (adjustable)
- n ■ Rinse temperature 78°C (adjustable)
- n ■ Cycle times between 60 & 240 secs

Drain pump versions require a waste up-stand for correct operation.

Restrictive waste connections should be avoided for all installations.

*Machines fitted to cold water supplies will not be capable of running repeated short cycles, the cycle time will automatically be extended to allow recovery of correct operating temperatures.

Model	Rack size mm	Useable Height mm	Dimensions mm W x D x H	Cycle Options	Power kW	Amps Required
D2021	500	440	640 x 750 x 1540 [#]	3 Cycles	6.7/4.7	20/30 ^{##}

Height adjustable from 1540 to 1595mm (hood closed), 2055 to 2110mm (hood open).

Machines will be supplied for 30 amp supply as standard, if 20 amp required specify at time of order.

It is strongly recommended that pass through models are installed on hot water fill (max 50°C) for optimum performance.



C, D & Evolution | tabling

Stainless steel scrap bin c/w castors and lid

704002 **£370**

Closed end table c/w undershelf. 700mm long, 615mm deep

717000 **£380**

Closed end table c/w splashback and undershelf. 700mm long. (Right hand as illustrated)

80201 (Left hand) **£495**
80200 (Right hand) **£495**

Closed end table c/w splashback and undershelf. 1200mm long. (Right hand as illustrated)

80203 (Left hand) **£685**
80204 (Right hand) **£685**

Closed end table c/w splashback, undershelf and sink. 1200mm long. (Right hand as illustrated)

80205 (Left hand) **£1,095**
80206 (Right hand) **£1,095**

Closed end table c/w splashback, short undershelf, sink and scrap hole. 1200mm long supplied with rubber scrap hole protection ring. (Right hand as illustrated)

80207 (Left hand) **£1,170**
80208 (Right hand) **£1,170**

- n ■ All tabling is suitable for 500 x 500mm racks
- n ■ Supplied flat packed for easy assembly
- n ■ Available left or right hand arrangement – must be specified
- n ■ All legs supplied with height adjustable feet
- n ■ Tables including sinks have single ¾" hole for **monoblock** spray arm and 1½" waste
- n ■ All sinks are 500mm wide x 400mm front to back x 250mm deep
- n ■ All tables with splashback are 745mm deep

Item	Description	Part No.	Price
Pre-wash Spray Arms	Pre-wash spray arm: Monoblock spray arm – hot & cold	Z600100	£370
	Pre-wash spray arm: Monoblock spray arm – hot & cold with stem tap	Z600105	£485
	Pre-wash spray arm: Twin pillar spray arm – hot & cold	Z600200	£405
	Pre-wash spray arm: Twin pillar spray arm – hot & cold with stem tap	Z600205	£495

Pre-wash spray arm: **Monoblock** spray arm – hot & cold water feed with stem tap

Z600105 **£485**

Pre-wash spray arm: **Twin pillar** spray arm – hot & cold water feed with stem tap

Z600205 **£495**